

Sisalation® VapaSeam™ Tape

Section 1: Identification of the Material and Supplier

Product name	Sisalation® VapaSeam™ Tape
Recommended use:	Sisalation® VapaSeam™ tape is a single sided tape ideal for air-tight bonding and sealing of penetrations and overlaps of rigid and flexible air and vapour barriers.
Supplier:	Fletcher Insulation Pty Ltd
Address:	127 Frankston-Dandenong Road, Dandenong South, VIC 3175
Telephone:	1300 654 444
Emergency contact:	1300 654 444
Website:	www.insulation.com.au
Important notice:	As Sisalation® VapaSeam™ Tape manufactured or sold in Australia by Fletcher Insulation is classified as NON-HAZARDOUS , a Safety User Information Sheet (SUIS) is not strictly required under Australian Regulations. As such, this Safety Use Information Sheet (SUIS) is issued by Fletcher Insulation for the information of users, installers and the community. It has been formatted in accordance with the Code on Preparation of a Safety Data Sheets for hazardous chemicals, December 2011, Safe Work Australia. The information in this SUIS must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SUIS by any other person or organization. The Supplier will issue a new SUIS when there is a change in product specifications and/or ASCC standards, codes, guidelines, or regulations.

Section 2: Hazards Identification

Non-hazardous substance/Non-dangerous goods

Not classified as hazardous according to the criteria of Safe Work Australia.

Section 3: Composition/Information on Ingredients

Ingredient (common name)	Proportion	CAS Number
Polyethylene	63%	09002-88-4
Acrylic Ester Copolymers	37%	68698-72-6

Section 4: First Aid Measures

Inhalation:	If inhaled in large quantity, steam or gas, move to the place in fresh air. If signs/symptoms persist, get medical attention.
Ingestion:	If swallowed in large quantities, induce vomiting. If discomfort continues, get medical attention.
Skin:	Flush skin thoroughly with water or soapy water.
Eyes:	Flush eyes thoroughly with water.

Section 5: Fire Fighting Measures

For major fires, call the Fire Brigade. Ensure that an escape path is available from any fire.

Suitable extinguishing media:	Dry chemicals, water spray, carbon dioxide, alchoform and sand.
Fire fighting equipment:	Wear Work Safe Australia approved full protective clothing and self contained breathing apparatus.

Section 6: Accidental Release Measures

Not applicable.

Section 7: Handling and Storage

Handling:	Do not use on the human body. Test before you use on furniture, wall, glass, or other things. Do not use as electrical insulation. Do not use to secure or hang heavy objects. Be sure to wipe off any dust grease or moisture from the surface and stick the tape tightly.
Storage:	Avoid direct sun and store in horizontal position in cool area.

Section 8: Exposure Controls/Protection Plan

Exposure Standards (Safe Work Australia):	No Exposure standards set
Engineering controls:	No special ventilation is required
Personal protection	
Respiratory protection:	None required under normal usage. See Australian Standards AS/NZS 1715 and 1716 for more information.
Eye protection:	Wear safety glasses when cutting material. See Australian Standards AS 1336 and AS/NZS 1337 for more information.
Skin protection:	Protective gloves when cutting material. See Australian Standards A S2161 and 2919 and AS/NZS 2210 for more information.
Hygiene Practices:	Not applicable

Section 9: Physical and Chemical Properties

	Polyethylene	Acrylic Ester Copolymers
Melting point	100–145°C	-55°C(Tg)
Solubility	Insoluble in water	Insoluble in water

Section 10: Stability and Reactivity

Chemical stability:	Stable under normal conditions of use.
Incompatible materials:	None
Hazard Polymerisation:	Will not occur
Conditions to avoid:	Naked flames, sparks and other sources of ignition.

Section 11: Toxicological Information

Irritation:	Skin irritation Eye irritation Physical irritation
Sensitisation:	No specific notes.
Acute toxicity:	Physiologically inactive. No acute effect on human body.

Section 12: Ecological Information

Ecotoxicity:	No information available
Mobility:	No information available

Section 13: Disposal Consideration

Disposal methods and containers:	Dispose according to applicable local and state government regulations.
Special precautions for landfill or incineration:	Please consult your state Land Waste Management Authority for more information.

Section 14: Transportation Information

Transport requirements:	Not regulated for transport of dangerous goods: ADG7, UN, IATA, IMDG
Hazchem code:	Not applicable

Section 15: Regulatory Information

Poisons Schedule:	None
Poisons Information Centre	13 11 26 (Australia Wide)

Section 16: Other Information

Additional Information and Reference Documents

Poisons Information Centre 13 11 26 (Australia Wide)

Please read instructions/label before using product.

Code on Preparation of a Safety Data Sheets for hazardous chemicals, December 2011, Safe Work Australia.

Australian Standards References:

AS/NZS 1336	Recommended practices for occupational eye protection
AS/NZS 1715	Selection, use and maintenance of respiratory protective equipment
AS/NZS 1716	Respiratory protective devices
AS/NZS 2161	Occupational protective gloves selection, use and maintenance
AS 2919	Industrial clothing
AS/NZS 2210	Occupational protective footwear

Abbreviations used:

IARC: International Agency for Research on Cancer

STEL: Short term exposure limit

NTP: National Toxicology Program (U.S.)

TWA: Time weighted average

OSHA: Occupational Safety and Health Administration (U.S.)

This SUIIS was correct at the time it was prepared (see below for the date). The Supplier, as part of its Health and Safety Programme, updates SUIIS when its ongoing review process indicates a need for a change to be made. Ensure that the SUIIS you are reading and relying on is current. You can do this by contacting the Supplier at the address on page 1.

Issue Date:	13 February 2026
Revision:	0
Supersedes:	N/A
Reason for issue:	N/A

© Fletcher Insulation Pty Limited 2026. Fletcher Insulation reserves the right to change product specifications without prior notification. Information in this publication and otherwise supplied to users as to the subject product is based on our general experience and is given in good faith, but because of the many particular factors which are outside our knowledge and control and affect the use of products, no warranty is given or is to be implied with respect to either such information or the product itself, in particular the suitability of the product for any particular purpose. The purchaser should independently determine the suitability of the product for the intended application. The colour PINK, Pink® and Pink® Batts are registered trademarks of Owens Corning used under licence by Fletcher Insulation. FBS-1 Glasswool Bio-Soluble Insulation® is a registered trademark of ICANZ. Unless otherwise stated all ™ and ® are trademarks and registered trademarks of Fletcher Insulation Pty Limited ABN 72 001 175 355. SUIIS23_Revision_0_Issue Date 13022026.